App. F. IX-4

*Previous References* 1937. (F+S) File No. 62.
F+S 49-28 Pt 1-4, 6-12, 15, 17+19. Serial Nos. 1.

*Letter References*
Med 325 278-38 Pt 1-10
F+S. 47-55-1, 2.

# GENERAL AND REVENUE SECRETARIAT.

*Serial Nos.* 2

(10)

**Part B for** Feby 38

**SUBJECT.**

Fire Insurance of Government Press bdgs. and stock of Stationery

WD 0296—GPB—22,500—13-8-37

To

G.6818. 9 23.2.38
The Supt. Govt. Printing

States that the question of insuring the stock need not be pursued + that separate measures for fire protection are under examinati

& P.W.D.

GENERAL AND REVENUE SECRETARIAT.

( P&S )

NOTES.

File No. 62-37

FILE HEADING.

Fire insurance of portion of Govt Press and Stock of Stationery

FROM The Supdt Govt Printing

No. P2595 Dated 24.1.38 Received 26.1.38

Diary No. 3692 | Enclos. / | Spare copies | Serial No. /.

BRIEF ABSTRACT OF LETTER

Submits that Fire insurance of portion of Press buildings with Stocks has been discontinued by the P.W.D from 16.1.38 leaving the question of Fire insurance of Stock of Stationery to be taken up Separately with Govt and requests orders in the matter.

NOTES AND ORDERS.

1)

Subd. The question of protection of the Press against fire risk was taken up during Nov: 1928 as a result of which 12 fire extinguishers were installed and a portion of the Press building together with Stationery and printed forms was insured against fire by the P.W.D. The insurance was renewed till 16-1-1938 by the P.W.D and has been now discontinued as per orders of Govt that Govt does not consider it necessary to insure Govt buildings against fire

File No. PWS 62 of 1937.

General and Rev
Secretariat

1) The Supdt Govt-buildings is of opinion that insurance of Stock only is not desirable and that insurance of a portion of the building too is not useful. Orders are solicited whether the question of insurance has to be pursued further or dropped. The Supdt has not stated definitely whether the experience of these years indicates a real and serious risk and whether the fire extinguishers are maintained in good order by the P.W.D and cannot afford a protection in the contingency of a fire risk but on the other hand he appears to be in favour of insuring the whole building and the Stock. The Engineering Supdt have decided that there is no risk of fire to Govt buildings and the only question left appears to be the protection of the Stock of Stationery and printed forms. For orders.

Sd/-
2.2.38

2/2

3) Please obtain the P.W.D file for discontinuation

Sd/-
3.2.38

4) To P.W.D Supdt for kindly sending the file early.

Sd/-
Lt
4

Insurance of Res building and Stock of Stationery (3)

3692.

neral and Revenue Secretariat | File No. PxS62 of 1937. | [App. F. III—2

erial No.

5) Returned, with compliments.

2. The file may kindly be obtained from the Chief Secretary to whom it has been sent along with the D.O letter from the Private Secretary to His Highness.

Development Secretariat.

16.2

16.2.38

6) To Chief Secty for kindly sending the file referred to.

CS

16.2.38.

16/2/38

7) The file received from the Chief Secty. with the orders of Govt. is herewith put up, which may kindly be returned when done with for taking further action.

Development Secretariat

18.2

18/2

1872

Sales for personal and others. Refer para 3 above.

Sales 18.2.38

18/2

9) The Insurance policy in respect of stationery will be maintained

that the question of insuring the Stock

Insurance of Res buildings & Stock of Stationery

3692.

File No. PKS 62 of 1937.

General and Rev Secretariat

[illegible] need not be insured. A Ref

Separate insurance fees of five protections are under examn in the P.W.D.

[illegible]
18.2.38

Dy Secy

(10) MW. 18.2.38.

Subsidiary Offices
Malda
21.2.38.
hg
21/2

Issue return P.W. file

P.W.D Secrt for taking back their file
Malda
21.2.38.

Returned [illegible]

[illegible]

To Supdt Govt Printing
Q 6618 d 23.2.38
enquiries question of insurance need not be pursued etc

To Chief Engineer
Q 6815 d 23.2.38
Copy for information

No. P. 2595.

Encls. three in one file

OFFICE OF THE SUPERINTENDENT
GOVERNMENT PRINTING IN MYSOR

*Bangalore, dated* 24th January 193

Rm 3692

FROM

B. SRINIVASA IYENGAR, ESQ., B.A.,
SUPERINTENDENT, GOVERNMENT PRINTING,
BANGALORE.




P & S 62-37-1

TO

M. VENKATANARANAPPA, ESQ., B.A.,
Secretary to the Government of Mysore,
Development

SIR,

With reference to letter No.P.W.65/386/21, dated 9th July 1930, from the Secretary, Public Works Department to the Superintending Engineer, Mysore Circle, Mysore, conveying the sanction of Government to insure against fire the portion of the Government Press buildings at Bangalore, used for stocking Stationery and printed forms together with the Stationery and printed forms stocked therein, for a sum of Rs.1,82,580/- I have the honour to state that the Fire Insurance policy was being renewed by the Public Works Department till 16-1-1938 from which date, the scheme has been discontinued as per orders of Government. A copy of letter No.1541/S, dated 22nd November 1937, from the Secretary to Government, Public Works Department to the Superintending Engineer, Mysore Circle, Mysore, stating that Government do not consider it necessary to insure Government Buildings against fire as also a copy of letter No.8932, dated 7th January 1938, received from the Superintending Engineer, Mysore Circle, Mysore, on the subject, are herein enclosed for kind perusal. The Executive Engineer, Bangalore Buildings Division, has also intimated in his letter No.1486, dated 12-1-1938, that Fire Insurance of the building from 16-1-1938 will not be taken up and that fire insurance of the stock held in the building may be taken up separately, if it is considered necessary. A copy of this letter is also herein enclosed.

I am of opinion that insuring only the stock, without insuring the building serves no useful purpose. Similarly insuring of only a portion of the building, as was being done hitherto, while the remaining portions are not covered does not seem to be desirable. In these circumstances I solicit the orders of Government, whether the question has to be pursued further or dropped

Letter No.1541/S, dated the 22nd November 1937, from the Secretary to Government, Public Works Department, Bangaloro, to the Superintending Engineer, Mysore Circle, Mysore.

---

Insurance of Government Buildings in the State.

---

With reference to your letter No.646, dated the 4th September 1937, I am directed to inform you that Government do not consider it necessary to insure Government buildings against fire.

---

2.

Letter No.8932, dated 7th January 1938, from the Superintending Engineer, Mysore Circle, Mysore, to the Superintendent, Government Press, Bangalore.

---

With reference to your letter No.14th April 1937, to the address of the Executive Engineer, Buildings Division, Bangalore, stating that Fire Insurance of the Government Press, Building is necessary, I have the honour to inform you that it is stating in Public Works Secretary's letter No.1541-5, dated 22nd November 1937, (copy enclosed) that Government do not consider it necessary to insure Government Buildings against fire.

A copy of this office No.646, dated the 4th Sept. 1937, to the Chief Engineer, referred to in Public Works Secretary's letter is also enclosed.

---

3.

Letter No.1486, dated 12-1-1938, from the Executive Engineer, Bangalore Buildings Division, Bangalore, to the Superintendent, Government press, Bangalore.

---

In furtherence to the Mysore Circle Superintending Engineer's letter No.8932, dated 7-1-38, to your address regarding the Fire Insurance of the Government press, I have

P. T. O.

have the honour to inform you that the fire insurance of t
stock with you may be independently taken up by you with
Government direct, if you consider the same necessary. Th
fire insurance of the Government building from 1[illegible]-1-1938
will not be taken up as per Superintending Engineer's
communication in the matter.

---

"COPY"

DRS.

Superintendent,
Government Printing.

Appendix F G—1]

SUBJECT .....

.....

.....

Section P x S

File No. 62-37

Serial No. 2

No. G.6818

*Diary No. of letter replied to*.....

To The Supt Govt Printing

General and Revenue Secretariat

( )

*the* 19

Date of issue 23/2/38

Signed by Mr. M. Mu. C. S. R

Sir,

With reference to your letter No 25-95-d 24.1.38 on the subject of fire insurance of Govt Press building and Stock of Stationery etc, I am directed to state that the question of insuring the Stock need not be pursued and that separate measures for fire protection are under examination in the P. W. D.

I have etc

List of enclosures.....

Copied by .....

Examined by G.6819.

Asst to Govt

Copy to Exy P.W.D.

WD 0521—GPB—30,000—12-3-37

GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE

General and Revenue Secretariat

(1D)

*Dated, Bangalore,* 22nd Feby. *1938.*

NO,

From

The *Secretary to the Government of His Highness the Maharaja of Mysore, Development Department.*

To

The Superintendent,
Government Printing, Bangalore.

Sir,

With reference to your letter No.2595 dated 24th January 1938, on the subject of fire insurance of Government Press building and Stock of Stationer etc., I am directed to state that the question of insuring the stock need not be pursued and that separate measures for fire protection are under examination in the Public Works Department.

I have the honour to be,
Sir,
Your most obedient servant,

Sd/- M. Venkatanaranappa,
Secretary to Government,
Development Department.

K.M.R.3.

Memo No. Dated, 22nd Feby.1938.

Copy of the above, is forwarded, with

compliments

compliments, to the Secretary to Governmen
Public Works Department.

By Orc

For Secretary to Government,
Irrigation Development Department.

K.M.R.2.